WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Sunday, January 16, 2005

Hide?	Set Name	Query	Hit Count
		DB=USPT; PLUR=YES; OP=ADJ	
☐	L39	event near5 notif$9 near5(attach$3 or embedd$3 or includ$3 or contain$4)near5 (executable resource or java or applet or api or application programming interface or instruct$4)	23
☐	L38	L37 and l20	6
☐	L37	event near5 notif$9 with(attach$3 or embedd$3 or includ$3 or contain$4)with (executable resource or java or applet or api or application programming or instruct$4)	67
☐	L36	event near5 notif$9 same(attach$3 or embedd$3 or includ$3 or contain$4)with (executable resource or java or applet or api or application programming or instruct$4)	164
☐	L35	event near5 notif$9 same(attach$3 or embedd$3 or includ$3 or contain$4)with (executable resource or java or applet or api or application programming or instruct$4) same how near5 process$4	0
☐	L34	L33 and l20	10
☐	L33	event near5 notif$9 with (executable resource or java or applet or api or application programming)	128
☐	L32	event near5 notif$9 near5 string	9
☐	L31	event near5 notif$9 near5 string same(instruct$3 or api or identifier or executable resource or java or applet or api or application programming interfaceor program or scripts)with processing	0
☐	L30	event near5 notif$9 near5 string same compris$3 same(instruct$3 or api or identifier or executable resource or java or applet or api or application programming interfaceor program or scripts)with processing	0
☐	L29	event near5 notif$9 with (attach$3 or embedd$3 or includ$3) with (instruct$3 or api or identifier or executable resource or java or applet or api or application programming interfaceor program or scripts)with processing	11
☐	L28	event near5 notif$9 near5 string with (attach$3 or embedd$3 or includ$3) with (instruct$3 or api or identifier or executable resource or java or applet or api or application programming interfaceor program or scripts)with processing	0
☐	L27	event near3 notif$6 with (http or standard protocol)	1
		DB=PGPB; PLUR=YES; OP=ADJ	
☐	L26	event near3 notif$6 with standard protocol	0
		DB=USPT; PLUR=YES; OP=ADJ	
☐	L25	6496568.pn.	1
		DB=PGPB,USPT; PLUR=YES; OP=ADJ	

☐	L24	(determin$3 or identif$6) with (api or application programming interface) with process$4 near5 event	12
		DB=USPT; PLUR=YES; OP=ADJ	
☐	L23	L22 and l20	3
		DB=PGPB,USPT; PLUR=YES; OP=ADJ	
☐	L22	(determin$3 or identif$6) with (resource or api or application programming interface) with process$4 near5 event	109
☐	L21	L20 and l11	12
☐	L20	719/318.ccls.	530
☐	L19	L18 same api	5
☐	L18	generat$3 near5 event same (instruct$3 or identifier or identification information or executable or java or applet)same (url or http)	70
☐	L17	generat$3 near5 event near5 (instruct$3 or identifier or identification information or executable or java or applet)near5 (url or http)	1
☐	L16	generat$3 near5 event near5 (instruct$3 or identifier or identification information or executable or java or applet)same api	14
☐	L15	generat$3 near5 event near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	858
☐	L14	gererat$3 near5 event near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	0
☐	L13	(url or http) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	22
☐	L12	(url or http) near5 request$3 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	0
☐	L11	(url or http) same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	3145
☐	L10	(url or http)same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0
		DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L9	(transmit$5 or send$3 or generat$4 or receiv$3) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0
		DB=PGPB; PLUR=YES; OP=ADJ	
☐	L8	(transmit$5 or send$3 or generat$4 or receiv$3) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0
		DB=USPT; PLUR=YES; OP=ADJ	
☐	L7	(transmit$5 or send$3 or generat$4 or receiv$3) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0
☐	L6	(transmit$5 or send$3 or generat$4) with event with (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or executable or java or applet)	1

same capable near5 process$3

☐   L5   (transmit$5 or send$3 or generat$4) same event near5 notif$9 with (attach$3 or embedd$3 or includ$3)with (instruct$3 or api or identifier or executable or java or applet)   20

DB=PGPB,USPT; PLUR=YES; OP=ADJ

☐   L4   (transmit$5 or send$3 or generat$4) same event near5 notif$9 with (attach$3 or embedd$3 or includ$3)with (instruct$3 or api or identifier or executable or java or applet)   64

DB=USPT; PLUR=YES; OP=ADJ

☐   L3   receiv$3 with event near5 notifi$9 same capable near5 process$4   5

☐   L2   (http or url or standard protocol) same(request$4 or receiv$3 or generat$3) same event near5 notif$10 same how near5 process$3   1

☐   L1   (http or url or standard protocol) with (request$4 or receiv$3 or generat$3) with event near5 notif$10   4

END OF SEARCH HISTORY

WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Sunday, January 16, 2005

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT; PLUR=YES; OP=ADJ	
☐	L24	(determin$3 or identif$6) with (api or application programming interface) with process$4 near5 event	12
		DB=USPT; PLUR=YES; OP=ADJ	
☐	L23	L22 and l20	3
		DB=PGPB,USPT; PLUR=YES; OP=ADJ	
☐	L22	(determin$3 or identif$6) with (resource or api or application programming interface) with process$4 near5 event	109
☐	L21	L20 and l11	12
☐	L20	719/318.ccls.	530
☐	L19	L18 same api	5
☐	L18	generat$3 near5 event same (instruct$3 or identifier or identification information or executable or java or applet)same (url or http)	70
☐	L17	generat$3 near5 event near5 (instruct$3 or identifier or identification information or executable or java or applet)near5 (url or http)	1
☐	L16	generat$3 near5 event near5 (instruct$3 or identifier or identification information or executable or java or applet)same api	14
☐	L15	generat$3 near5 event near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	858
☐	L14	gererat$3 near5 event near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	0
☐	L13	(url or http) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	22
☐	L12	(url or http) near5 request$3 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	0
☐	L11	(url or http) same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	3145
☐	L10	(url or http)same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0
		DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L9	(transmit$5 or send$3 or generat$4 or receiv$3) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0

DB=PGPB; PLUR=YES; OP=ADJ

☐	L8	(transmit$5 or send$3 or generat$4 or receiv$3) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0

DB=USPT; PLUR=YES; OP=ADJ

☐	L7	(transmit$5 or send$3 or generat$4 or receiv$3) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0
☐	L6	(transmit$5 or send$3 or generat$4) with event with (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or executable or java or applet) same capable near5 process$3	1
☐	L5	(transmit$5 or send$3 or generat$4) same event near5 notif$9 with (attach$3 or embedd$3 or includ$3)with (instruct$3 or api or identifier or executable or java or applet)	20

DB=PGPB,USPT; PLUR=YES; OP=ADJ

☐	L4	(transmit$5 or send$3 or generat$4) same event near5 notif$9 with (attach$3 or embedd$3 or includ$3)with (instruct$3 or api or identifier or executable or java or applet)	64

DB=USPT; PLUR=YES; OP=ADJ

☐	L3	receiv$3 with event near5 notifi$9 same capable near5 process$4	5
☐	L2	(http or url or standard protocol) same(request$4 or receiv$3 or generat$3) same event near5 notif$10 same how near5 process$3	1
☐	L1	(http or url or standard protocol) with (request$4 or receiv$3 or generat$3) with event near5 notif$10	4

END OF SEARCH HISTORY

WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Sunday, January 16, 2005

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT; PLUR=YES; OP=ADJ	
☐	L21	L20 and l11	12
☐	L20	719/318.ccls.	530
☐	L19	L18 same api	5
☐	L18	generat$3 near5 event same (instruct$3 or identifier or identification information or executable or java or applet)same (url or http)	70
☐	L17	generat$3 near5 event near5 (instruct$3 or identifier or identification information or executable or java or applet)near5 (url or http)	1
☐	L16	generat$3 near5 event near5 (instruct$3 or identifier or identification information or executable or java or applet)same api	14
☐	L15	generat$3 near5 event near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	858
☐	L14	gererat$3 near5 event near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	0
☐	L13	(url or http) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	22
☐	L12	(url or http) near5 request$3 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	0
☐	L11	(url or http) same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet)	3145
☐	L10	(url or http)same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0
		DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L9	(transmit$5 or send$3 or generat$4 or receiv$3) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0
		DB=PGPB; PLUR=YES; OP=ADJ	
☐	L8	(transmit$5 or send$3 or generat$4 or receiv$3) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0
		DB=USPT; PLUR=YES; OP=ADJ	
☐	L7	(transmit$5 or send$3 or generat$4 or receiv$3) near5 event same (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or identification information or executable or java or applet) same process$3 near$5 event	0

☐	L6	(transmit$5 or send$3 or generat$4) with event with (attach$3 or embedd$3 or includ$3) near5 (instruct$3 or api or identifier or executable or java or applet) same capable near5 process$3	1
☐	L5	(transmit$5 or send$3 or generat$4) same event near5 notif$9 with (attach$3 or embedd$3 or includ$3)with (instruct$3 or api or identifier or executable or java or applet)	20

DB=PGPB,USPT; PLUR=YES; OP=ADJ

☐	L4	(transmit$5 or send$3 or generat$4) same event near5 notif$9 with (attach$3 or embedd$3 or includ$3)with (instruct$3 or api or identifier or executable or java or applet)	64

DB=USPT; PLUR=YES; OP=ADJ

☐	L3	receiv$3 with event near5 notifi$9 same capable near5 process$4	5
☐	L2	(http or url or standard protocol) same(request$4 or receiv$3 or generat$3) same event near5 notif$10 same how near5 process$3	1
☐	L1	(http or url or standard protocol) with (request$4 or receiv$3 or generat$3) with event near5 notif$10	4

END OF SEARCH HISTORY